ZHONG SHAN
VISION LIGHTING

VISION LIGHTING

VISION LIGHTING





NEW

www.vision-christmaslights.com
www.andelighting.com

VISION LIGHTING

ZHONGSHAN VISION LIGHTING GO.,LTD.

Add: No.29 Xiangfeng South Road,Shengfeng District,Xiaolan Town,ZhongshanCity, Guangdong,China.
Tel: 86-760-86902455
Fax: 86-760-86902477
https://www.vision-christmaslights.com
http://www.andelighting.com
E-mail: sky@visionlightingvl.com
WhatsApp: 86 159 0006 8318

COMPANY INTRODUCTION

Zhongshan Vision lighting offers a total solution for your Christmas decoration and festival event production requirements. We are the specialist in holiday decoration lighting (like fairy string lights, 3D sculpture motif lights， Christmas tree lights, street cross motif lights, neon lights, rope lights, programmable project lights etc.) and able to meet the needs of any events.

As a professional group, anytime you need, specific suggestions and designs will be offered to you. Or just give us your ideas, products can be customized for you.





CONTENTS

LED REED LAMP LIGHT 01-04

LED SOLAR FLOWER LIGHT 05-08

RESIN / FIBERGLASS SCULPTURE LIGHT 09-14

RGB FURNITURE LIGHT 15-16

RGB DANDELION & FIREWORK LIGHT 17-18

LED FANTASY COLOR LIGHT 19-20

LED WALL WASHER & SPOT LIGHT 21-22

PROJECT CASES 23-24












VS-M/W Power+Controller



VS-Controller-8port


VS-Controller-1port


VS-M/W Power


VS-MC-10/2M


VS-C wire-01


VS-T-01


VS-NET wire-01

LED REED LAMP LIGHT



Item No.: VSFL-0.68M-24V-RGB
Size：68cm（H）
Color：RGB









VS-M/W Power+Controller



VS-C wire-01



VS-T-01



VS-NET wire-01



Item No.: VSFL-0.68M-24V-011
Size：68CM（H）



Item No.: VSFL-0.69M-24V-012-A/B
Size：69CM（H）



Item No.: VSFL-0.72M-24V-013-A/B
Size：72CM（H）



Item No.: VSFL-0.73M-24V-014
Size：73CM（H）



Item No.: VSFL-0.65M-24V-015
Size：65CM（H）



Item No.: VSFL-0.70M-24V-016
Size：70CM（H）



Item No.: VSFL-0.74M-24V-017
Size：74CM（H）



Item No.: VSFL-0.70M-24V-018
Size：70CM（H）



Item No.: VS-SFL-0.70M-030
Size: 70CM（H）



Item No.: VS-SFL-0.66M-037
Size: 66CM（H）



Item No.: VS-SFL-0.70M-031
Size: 70CM（H）



Item No.: VS-SFL-0.70M-032
Size: 70CM（H）



Item No.: VS-SFL-0.80M-033
Size: 80CM（H）



Item No.: VS-SFL-0.70M-038
Size: 70CM（H）



Item No.: VS-SFL-0.70M-039
Size: 70CM（H）



Item No.: VS-SFL-0.80M-040
Size: 80CM（H）



Item No.: VS-SFL-0.80M-034
Size: 80CM（H）



Item No.: VS-SFL-0.70M-035
Size: 70CM（H）



Item No.: VS-SFL-0.80M-036
Size: 80CM（H）



Item No.: VS-SFL-0.85M-041
Size: 85CM（H）



Item No.: VS-SFL-0.80M-042
Size: 80CM（H）



Item No.: VS-SFL-0.21M-043
Size: 21CM（H）

LED SOLAR FLOWER LIGHT



Item No.: VS-SFL-0.37M-044
Size: 37CM（H）



Item No.: VS-SFL-0.37M-045
Size: 50CM（H）



Item No.: VS-SFL-0.71M-046
Size: 71CM（H）



Item No.: VS-SFL-0.80M-053
Size: 80CM（H）



Item No.: VS-SFL-0.80M-054
Size: 80CM（H）



Item No.: VS-SFL-0.80M-055
Size: 80CM（H）



Item No.: VS-SFL-0.70M-047
Size: 70CM（H）



Item No.: VS-SFL-0.70M-048
Size: 70CM（H）



Item No.: VS-SFL-0.70M-049
Size: 70CM（H）



Item No.: VS-SFL-0.80M-056
Size: 80CM（H）



Item No.: VS-SFL-0.80M-057
Size: 80CM（H）



Item No.: VS-SFL-0.80M-058
Size: 80CM（H）



Item No.: VS-SFL-1.00M-050
Size: 100CM



Item No.: VS-SFL-0.80M-051
Size: 80CM（H）



Item No.: VS-SFL-0.80M-052
Size: 80CM（H）



Item No.: VS-SFL-0.80M-059
Size: 80CM（H）



Item No.: VS-SFL-0.80M-060
Size: 80CM（H）



Item No.: VS-SFL-0.80M-061
Size: 80CM（H）

RESIN / FIBERGLASS SCULPTURE LGHT



Item No.: VS-PRP-24V-01
Size: 115*42*165CM

Item No.: VS-PRP-24V-02
Size: 150*35*105CM

Item No.: VS-PRP-24V-03
Size: 176*55*210CM

Item No.: VS-PRP-24V-04
Size: 95*30*95CM



VS-PRP-24V-05
146*85*208CM

VS-PRP-24V-06
62*22*71CM

VS-PRP-24V-07
146*85*158CM



IVS-PRP-24V-08
110*36*122CM

VS-PRP-24V-09
60*25*58CM

VS-PRP-24V-10
110*36*148CM



Item No.: VS-PRP-24V-11
Size: 75*26*31CM

Item No.: VS-PRP-24V-12
Size: 82*52*101CM

Item No.: VS-PRP-24V-13
Size: 140*60*255CM

Item No.: VS-PRP-24V-14
Size: 100*65*150CM

Item No.: VS-PRP-24V-15
Size: 190*36*170CM



Item No.: VS-PRP-24V-16
Size: 40*45*59CM

Item No.: VS-PRP-24V-17
Size: 74*74*95CM

Item No.: VS-PRP-24V-18
Size: 66*49*50CM

Item No.: VS-PRP-24V-19
Size: 56*30*36CM

RESIN / FIBERGLASS SCULPTURE LIGHT



Item No.: VS-PRP-24V-20
Size: 145*41*101CM

Item No.: VS-PRP-24V-21
Size: 115*42*165CM

Item No.: VS-PRP-24V-22
Size: 115*42*165CM

Item No.: VS-PRP-24V-23
Size: 137*41*85CM



Item No.: VS-PRP-24V-26
Size: 242*42*99CM

Item No.: VS-PRP-24V-27
Size: 200*59*110CM

Item No.: VS-PRP-24V-28
Size: 110*43*70CM



Item No.: VS-PRP-24V-24
Size: 160*38*55CM



Item No.: VS-PRP-24V-25
Size: 290*151*296CM



Item No.: VS-PRP-24V-29
Size: 166*55*59CM



Item No.: VS-PRP-24V-30
Size: 300*80*240CM

RESIN / FIBERGLASS SCULPTURE LIGHT



Item No.: VS-PRP-24V-31
Size: 43*26*38CM



VS-PRP-24V-32
130*73*50CM

VS-PRP-24V-33
52*30*46CM

VS-PRP-24V-34
130*73*150CM



VS-PRP-24V-42
100*50*180CM

VS-PRP-24V-43
92*157*208CM

VS-PRP-24V-44
54*60*123CM

VS-PRP-24V-45
100*50*220CM

VS-PRP-24V-46
86*46*191CM



VS-PRP-24V-47
33*35*40CM

VS-PRP-24V-48
33*15*37CM

VS-PRP-24V-49
19*15*30CM



Item No.: VS-PRP-24V-35
Size: 62*20*27CM



Item No.: VS-PRP-24V-36
Size: 40*33*24M



Item No.: VS-PRP-24V-50
Size: 212*56*183CM

Item No.: VS-PRP-24V-51
Size: 59*26*72CM



Item No.: VS-PRP-24V-52
Size: 39*39*45M



Item No.: VS-PRP-24V-37
Size: 79*43*63CM

Item No.: VS-PRP-24V-38
Size: 60*30*70CM



VS-PRP-24V-39
70*33*100CM

VS-PRP-24V-41
62*42*20CM

VS-PRP-24V-40
60*28*65CM



VS-PRP-24V-53
18*12CM

VS-PRP-24V-54
60*60*46CM

VS-PRP-24V-55
30*30*28CM



VS-PRP-24V-56
30*30*30CM

VS-PRP-24V-57
40*40*40CM

VS-PRP-24V-58
38*38*56CM

RGB FURNITURE LIGHT



Item No.: VSB-030-RGB
Size: 30CM
Color: RGB



Item No.: VSSW-150-RGB
Size: 300*300*700CM





VS-M/W Power+Controller



VS-MC-10/2M



VS-T-01



VS-NET wire-01



Item No.: VSSW-130-RGB
Size: 15cm/20cm/25cm/30cm/35cm/40CM



Item No.: VSB-040-RGB
Size: 130*100*40CM



Item No.: VSCU-040-RGB
Size: 25cm/30cm/35cm/40CM



Item No.: VSMO-140-RGB
Size: 104*40*140CM



VSTA-095-RGB
Table: 95*70CM

VSCH-081-RGB
Chair: 61*65*81CM



VSTA-068-RGB
Table: 68*45CM

VSCH-068-RGB
Chair: 62*68CM

RGB DANDELION & FIREWORK LIGHT



Item No.: VSLD-150CM-RGB
Size: 150*300CM



Item No.: VSLD-50*300CM
Size: 50/60/80*300CM



Item No.: VSLD-50*300CM
Size: 50/60/80*30CM



Item No.: VSFW-1.5*3M-24
Size: 1.5*3M
Color: RGB



Item No.: VSFT-2.8*5M-35
Size: 2.8*5M
Color: RGB



Item No.: VSWM-1.8*4M-30
Size: 1.8*4M
Color: RGB



Item No.: VSFL-2*4.5M-48
Size: 2*4.5M
Color: RGB

LED FANTASY COLOR LIGHT



Item No.：VS-HDC-001
Size：50*220CM







Item No.：VS-DC-001-C
Size：52*30*46CM



Item No.：VS-DC-007
Size：52*30*46CM



Item No.：VS-DC-006-B
Size：52*30*46CM



Item No.：VS-DC-002-A
Size：36*36*10CM



Item No.：VS-DC-002-D
Size：40*40*10CM



Item No.：VS-DC-002-F
Size：40*40*40CM



Item No.：VS-DC-012
Size：30CM



Item No.：VS-DC-004
Size：60*22*16CM



VS-DC-013-A
1.6M

VS-DC-013-A
1.2M

LED WALL WASHER & SPOT LIGHT



Model: VS-HW-011
LED Color: R/G/B/W/Y
LED Emitting Angle: 15/30/45/60
Change in Program: Monochrome/Colorful
Rated Voltage: AC/DC24V/220V
Rated power: 36W
Protective Level: IP65
Specification: L1000XW58XH65mm



Model: VS-HW-012
LED Color: R/G/B/W/Y
LED Emitting Angle: 15/30/45/60
Change in Program: Monochrome/Colorful
Rated Voltage: AC/DC24V/220V
Rated Power: 36W
Protective Level: IP65
Specification: L1000XW90XH70mm

●Independent intellectual property rights, private mold design, beautiful appearance

●Professional optical design, uniform light mixing and high brightness

●Structure waterproof design, protection grade IP65

●Low thermal resistance heat dissipation design, aviation aluminum alloy lamp bar

●The lamps are designed to resist cold and weather, and can be applied to different outdoor environments

●Constant current scheme and intermediate outlet line design are adopted to reduce the voltage drop of lamps and lanterns, so that the display color consistency of lamps and lanterns is high

●Support DMX512 control system to realize intelligent dimming

●Outdoor lightning protection and electrostatic professional protection design

Light distribution curve



Spectrum





Model: VS-HS-011
Light Source Power: 30W
Input Voltage:AC85-265V
Light Body Material: Die-cast Aluminum
Light Flux: 3300LM
Viewing Angle: 15°/30°/45°/60°/120°
Operating Temperature: -40°C-50°C
Life:>50000H Protection Level: IP65
Color: R/G/B/W/Y
Size: L225xW185xH35mm



Model: VS-HS-012
Light Source Power: 30W
Input Voltage:AC85-265V
Light Body Material: Aluminum
Light Flux: 3300LM
Viewing Angle: 15°/30°/45°/60°
Operating Temperature: -40°C-50°C
Life:>50000H Protection Level: IP65
Color: R/G/B/W/Y
Size: L225xW185xH35mm



Model:VS-HS-013
Light Source Power: 3*1W
Input Voltage:AC85-265V
Light Body Material: Die-cast Aluminum
Light Flux: 330LM
Viewing Angle: 15°/30°/45°/60°/120°
Operating Temperature: -40°C-50°C
Life: >50000H Protection Level: IP66
Color: R/G/B/W/Y
Size: L85xW180mm



Model: VS-HS-014
Light Source Power: 6*1W
Input Voltage:AC85-265V
Light Body Material: Die-cast Aluminum
Light Flux: 660LM
Viewing Angle: 15°/30°/45°/60°
Operating Temperature: -40°C-50°C
Life:>50000H Protection Level: IP66
Color: R/G/B/W/Y
Size: L130xW200mm



Model: VS-HS-015
Light Source Power: 10*1W
Input Voltage:AC85-265V
Light Body Material: Die-cast Aluminum
Light Flux: 1100LM
Viewing Angle: 15°/30°/45°/60°
Operating Temperature: -40°C-50°C
Life: >50000H Protection Level: IP66
Color: R/G/B/W/Y
Size: L165xW200mm



Model: VS-HS-016
Light Source Power: 100W
Input Voltage:AC85-265V
Light Body Material: Die-cast Aluminum
Light Flux: 7700LM
Viewing Angle: 15°/30°/45°/60°/120°
Operating Temperature: -40°C-50°C
Life:>50000H Protection Level: IP66
Color: R/G/B/W/Y
Size: L180xW185xH86mm



Model: VS-HS-017
Light Source Power: 24*1W
Input Voltage:AC85-265V
Light Body Material: Die-cast Aluminum
Light Flux: 2640LM
Viewing Angle: 15°/30°/45°/60°
Operating Temperature: -40°C-50°C
Life: >50000H Protection Level: IP66
Color: R/G/B/W/Y
Size: L280xW220xH230mm



Model: VS-HS-018
Light Source Power: 36*1W
Input Voltage: AC85-265V
Light Body Material: Die-cast Aluminum
Light Flux: 3960LM
Viewing Angle: 15°/30/45°/60°
Operating Temperature: -40°C-50°C
Life:>50000H Protection Level: IP66
Color: R/G/B/W/Y
Size: L335xW210xH155mm

●Independent intellectual property rights, private design, beautiful appearance

●Professional optical design, uniform light mixing and long projection distance

●Waterproof design of the structure, with the protection level reaching IP66

●High corrosion-resistant die-cast aluminum shell, fully tempered ultra-white glass, with excellent heat dissipation and corrosion resistance

●The design of constant current scheme makes the display color consistency of lamps high

●Support DMX512 control system to realize intelligent dimming

●Outdoor lightning protection and electrostatic professional protection design

Light distribution curve



Spectrum



PROJECT CASES

















